

## Latex Powder Free Single Chlorinated 5.7g Powder Free Natural Rubber Latex Examination Glove



### Benefits

- Moderate texture
- Excellent elasticity
- Easy donning
- Food Safe
- Outstanding stress relaxation
- Excellent durability

### Features

- Low protein content 10-15µg/dm<sup>2</sup>
- AQL 1.5
- Product is tested according to ASTM & EN testing methods for examination gloves and meet ASTM D3578 & EN 455 Part 1-3, EN1186 international standard requirements

**Powder Free:** yes    **Surface:** Textured    **Cuff:** Beaded

**Colors:**



Size	Palm Width (mm)	Length (mm)
Extra Small	75 (+/- 5)	Min. 240
Small	85 (+/- 5)	Min. 240
Medium	95 (+/- 5)	Min. 240
Large	106 (+/- 5)	Min. 240
Extra Large	116 (+/- 5)	Min. 240

Physical Properties	Before ageing	After ageing	Glove Thickness	(Single Wall/mm)
Tensile Strength	18-20 MPa	14-16 MPa	Cuff	Min. 0.08
Elongation at break	Min 650%	Min 500%	Palm	Min. 0.10
Force at break	Min. 6 N	Min. 6 N	Finger	Min. 0.12

Inspection Parameter	Defect Description	Inspection Plan	Level AQL
Dimension	Glove Thickness (Cuff, Palm, Fingers, Width, Length)		S-2 4.0
Physical Properties	Tensile Strength, Ultimate Elongation Force at Brake		S-2 4.0
Visual Inspection	Major Defect, Minor defects		G-1 2.5, 4.0
1000 ml Water Tight Test	Holes, Leaks		G-1 1.5
Powder Free Residue	Powder residue content		N = 5
Protein	Protein Content		N = 3

### Packing Description

Packing	100 pieces per Dispenser, 10 x 100 pieces per Carton
Lot Number Structure	(YYYY = Year of manufacturing, XXX = Julian Day)
Recommended Shelf Life	3 Years upon manufacturing date