

## Latex Powder Free Long Single Chlorinated Powder Free Natural Rubber Latex Examination Glove



### Benefits

- Long cuff
- Excellent elasticity
- Outstanding stress relaxation
- Excellent durability
- Alcohol resistance
- Water durability
- Moderate texture

### Features

- Low protein content 30-35µg/dm<sup>2</sup>
- AQL 1.5
- Product is tested according to ASTM & EN testing methods for examination gloves and meet ASTM D3578 & EN 455 Part 1&2 international standard requirements

**Powder Free:** yes    **Surface:** Textured    **Cuff:** Beaded

**Colors:**



Size	Palm Width (mm)	Length (mm)
Extra Small	76-79	Min. 280
Small	85-87	Min. 280
Medium	95-97	Min. 280
Large	105-108	Min. 280
Extra Large	115-117	Min. 280

Physical Properties	Before ageing	After ageing	Glove Thickness	(Single Wall/mm)
Tensile Strength	20-24 MPa	18-22 MPa	Cuff	0.10-0.11
Elongation at break	750-780%	700-750%	Palm	0.12-0.13
Force at break	9.5-11.0 N	7.5-9.0 N	Finger	0.14-0.16

Inspection Parameter	Defect Description	Inspection Plan	Level	AQL
Dimension	Glove Thickness (Cuff, Palm, Fingers, Width, Length)		S-2	4.0
Physical Properties	Tensile Strength, Ultimate Elongation Force at Brake		S-2	4.0
Visual Inspection	Major Defect, Minor defects		G-1	2.5, 4.0
1000 ml Water Tight Test	Holes, Leaks		G-1	1.5
Powder Free Residue	Powder residue content		N = 5	
Protein	Protein Content		N = 3	

### Packing Description

Packing	100 pieces per Dispenser, 10 x 100 pieces per Carton
Lot Number Structure	(YYYY = Year of manufacturing, XXX = Julian Day)
Recommended Shelf Life	3 Years upon manufacturing date